

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
Basis Lighting	B624	Track Light	Govena	YT105	PASS	Not Compatible	
Basis Lighting	B624	Track Light	Govena	YT250	Thermally Compatible	Not Compatible	
Basis Lighting	B623	Track Light	Govena	YT60	PASS	Not Compatible	
Basis Lighting	SL50	Track Light	Govena	YT60	PASS	PASS	
Basis Lighting	B461	Track Light	Govena	YT105	PASS	PASS	
Basis Lighting	B462	Track Light	Govena	YT250	Thermally Compatible	Compatible with fixture, transformer not tested yet	
Basis Lighting	B451	Track Light	Govena	YT105	PASS	PASS	
Basis Lighting	B452	Track Light	Govena	YT250	Thermally Compatible	Compatible with fixture, transformer not tested yet	
Basis Lighting	B614	Track Light	Govena	YT60	PASS	Not Compatible	
Basis Lighting	402	Recessed / Downlight	Govena	YT60	PASS	Not Compatible	
B-K Lighting	Delta Star - DS-MR-Q-xxx-xx-xx	In-Grade / Outdoor / Fully-Sealed	Lightech	LET75	PASS	PASS	
Con Tech Lighting	LVR316/Compatible Trims: CTR-301, 311FR, 304, 324, 301SQ, 305SQ	Recessed / Downlight	Variable Luminance	TJ-HTF-10 TRANSFORMER W/O	PASS	Not Compatible	
Con Tech Lighting	LVR16/Compatible Trims: CTR-1601, 1606, 1607, 1611FR, 1614, 1624, 1601SQ, 1602SQ	Recessed / Downlight	Variable Luminance	TJ-H-12D-50-1	PASS	Not Compatible	
Con Tech Lighting	RS4175/Compatible Trims: CST-402V, 404V	Recessed / Downlight	Suzhou Rongwen	9856-3103-75W	PASS	Not Compatible	
Con Tech Lighting	CTL1216T	Track Light	Lightech	LET-75L	Thermally Compatible	Not Compatible	
Con Tech Lighting	CTL8027/MR16	Track Light	Hatch	RS1280M	PASS	PASS	
Con Tech Lighting	CTL8816T	Track Light	Lightech	LET-75L	Thermally Compatible	Compatible with fixture, transformer not tested yet	
Con Tech Lighting	CTL816/LA2050N	Track Light	Lightech	LET-75L	Thermally Compatible	Compatible with fixture, transformer not tested yet	
Con Tech Lighting	CTL8116/LA2050N	Track Light	Lightech	LET-75L	Thermally Compatible	Compatible with fixture, transformer not tested yet	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Sebcu	1107	PASS	Not Compatible	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Sebcu	1108	PASS	Not Compatible	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Sebcu	1109	PASS	Not Compatible	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Sebcu	1110	PASS	Not Compatible	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Magnitude	M20	PASS	Not Compatible	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Magnitude	M40	PASS	Not Compatible	
Dreamscape Lighting	DLED-700S-LED-IC-CAT Down Light	Recessed / Downlight	Magnitude	M60	PASS	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Sebcu	1107	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Sebcu	1108	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Sebcu	1109	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Sebcu	1110	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Magnitude	M20	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Magnitude	M40	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Magnitude	M60	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Eaton Cooper Halo	Halo H36LVICAT 3" IC, airtight shallow new construction housing, 120V, low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	TF-333	PASS	Not Compatible	
Eaton Cooper Halo	Halo H38LVICAT 3" IC, airtight new construction housing, 120V, low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	TF-149911-TP	PASS	Not Compatible	
Eaton Cooper Halo	Halo H36LVRTAT 3" Non-IC, airtight shallow remodeler housing, 120V, low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	TF-149911-TP120	PASS	Not Compatible	
Eaton Cooper Halo	Halo H36LVATCP 3" Non-IC, Chicago Plenum shallow new construction housing, 120V, low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	QE-1292	PASS	Not Compatible	
Eaton Cooper Halo	Halo H36LVAT 3" Non-IC, airtight shallow new construction housing, 120V, low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	QE-1292-AS	PASS	Not Compatible	
Eaton Cooper Halo	Halo H36LVAT277 3" Non-IC, airtight shallow new construction housing, 120/277V low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	QE-1297	PASS	Not Compatible	
Eaton Cooper Halo	Halo H36LVRTAT277 3" Non-IC, airtight shallow remodeler housing, 120/277V, low voltage MR16 with 3001, 3002, 3003, 3004, 3006, 3007, 3008, 3009, 3010, 3011, 3012, 3013, 3017, 3020 series trims	Recessed / Downlight	Eaton	QE-3003	PASS	Not Compatible	
Eaton Cooper Halo	Halo H1499ICAT 4" IC, airtight new construction housing, 120V, low voltage MR16 with 1419, 1420, 1421, 1453, 1493, 1495, 1496, 1497, 1498, 1945, 1946, 1951 series trims	Recessed / Downlight	Eaton	TF-149911-TP	PASS	Not Compatible	
Eaton Cooper Halo	Halo H1499TAT 4" Non-IC, airtight new construction housing, 120V, low voltage MR16 with 1419, 1420, 1421, 1453, 1493, 1495, 1496, 1497, 1498, 1945, 1946, 1951 series trims	Recessed / Downlight	Eaton	QE-1292 AS	PASS	Not Compatible	
Eaton Cooper Halo	Halo H1499TCP 4" Non-IC, Chicago Plenum new construction housing, 120/277V, low voltage MR16 with 1419, 1420, 1421, 1453, 1493, 1495, 1496, 1497, 1498, 1945, 1946, 1951 series trims	Recessed / Downlight	Eaton	QE-1472	PASS	Not Compatible	
Eaton Cooper Halo	Halo H1499RTAT 4" Non-IC, airtight remodeler housing, 120V, low voltage MR16 with 1419, 1420, 1421, 1453, 1493, 1495, 1496, 1497, 1498, 1945, 1946, 1951 series trims	Recessed / Downlight	Eaton	TF-149911-TP	PASS	Not Compatible	
Eaton Cooper Halo	Halo H1499T75 4" Non-IC, airtight new construction housing, 120/277V, low voltage MR16 with 1419, 1420, 1421, 1453, 1493, 1495, 1496, 1497, 1498, 1945, 1946 series trims	Recessed / Downlight	Eaton	QE-1296	PASS	Not Compatible	
Eaton Cooper Halo	Halo E44MR16ICAT 4" ultra-shallow recessed low voltage new work housing, 120/277V, low voltage MR16, 10W maximum with 1421, 1453, 1493, 1951, 1419, 1420, 1495, 1496, 1497, 1498, 1430, 1431, 1432, 1433, 1434, 1435, 1436, 1437, 1464, 1465, 1466, 1467, 1440, 1441, 1442, 1443, 1444, 1445, 1446, 1447, 1448, 1484, 1485, 1486, 1487, 1489 series trims	Recessed / Downlight	Eaton	TF-E4 DUAL LL (was TF-E4 UNV)	PASS	Not Compatible	
Eaton Cooper Halo	Halo E44MR16RICAT 4" ultra-shallow recessed low voltage remodel housing, 120V, low voltage MR16, 10W maximum with 1421, 1453, 1493, 1951, 1419, 1420, 1495, 1496, 1497, 1498, 1440, 1441, 1442, 1443, 1444, 1445, 1446, 1447, 1448, 1484, 1485, 1486, 1487, 1489 series trims	Recessed / Downlight	Eaton	TF-E4-120	PASS	Not Compatible	
Eaton Cooper Iris	P3MR 3" IC AT LV MR16 Housing: E3AAJ0, E3AASR, E3AA, E3DNPIN, E3LWW, E3MR, E3OVAL, E3PIN, E3SA, E3SLOT, E3SR Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	P43MR 3" Non-IC AT LV MR16 Housing: E3AAJ0, E3AASR, E3AA, E3DNPIN, E3LWW, E3MR, E3OVAL, E3PIN, E3SA, E3SLOT, E3SR Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	RPK3MR 3" Non-IC LV MR16 Remodeler Housing: E3AAJ0, E3AASR, E3AA, E3DNPIN, E3LWW, E3MR, E3OVAL, E3PIN, E3SLOT Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	RPK3MRSA 3" Non-IC LV MR16 Remodeler Housing: E3SA Optical Element	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	P4MRICAT 4" Square IC AT LV MR16 Housing: E4AAA, E4AASR, E4MR, E4MRSR, E4PIN, E4PINSR, E4RPIN, E4RPINSR Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	P4MRTAT 4" Square Non-IC AT LV MR16 Housing: E4AAA, E4AASR, E4MR, E4MRSR, E4PIN, E4PINSR, E4RPIN, E4RPINSR Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com.

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
Eaton Cooper Iris	P408ICAT 4" Square IC AT Modular Housing; MV4MR Lamp Module; E4LWW, E4RLWW Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	P406TAT 4" Square Non-IC AT Modular Housing; MV4MR Lamp Module; E4LWW, E4RLWW Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	P5 5" IC AT Modular Housing; M5MR Lamp Module; E5AA20, E5AA, E5MR, E5PIN, E5SLOT Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Iris	PMS 5" Non-IC AT Modular Housing; M5MR Lamp Module; E5AA20, E5AA, E5MR, E5PIN, E5SLOT Optical Elements	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Portfolio	H43MR 3" LV MR16 Adjustable Housing/Compatible Trims 3451XX, 3450XX, 3471XX, 3470XX, 3480XX, 3481XX	Recessed / Downlight			Thermally Compatible	Not Compatible	
Eaton Cooper Portfolio	HD3MR 3" LV MR16 Downlight Housing/Compatible Trims 3401XX, 3403XX	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edge Lighting	Chopper	Low Voltage Track			Thermally Compatible	Compatible with fixture, unknown transformer	
Edge Lighting	Form	Low Voltage Track			Thermally Compatible	Compatible with fixture, unknown transformer	
Edge Lighting	Form 2-Head	Low Voltage Track			Thermally Compatible	Compatible with fixture, unknown transformer	
Edge Lighting	Harley	Low Voltage Track			Thermally Compatible	Compatible with fixture, unknown transformer	
Edge Lighting	Low Rider	Low Voltage Track			Thermally Compatible	Not Compatible	
Edge Lighting	Rebel	Low Voltage Track			Thermally Compatible	Not Compatible	
Edge Lighting	Spirit	Low Voltage Track			Thermally Compatible	Compatible with fixture (see comment), unknown transformer	Approved without shade.
Edge Lighting	Triumph	Low Voltage Track			Thermally Compatible	Not Compatible	
Edge Lighting	Vespa	Low Voltage Track			Thermally Compatible	Compatible with fixture (see comment), unknown transformer	Approved without shade.
Edison Price Lighting	Magic Wand MR16 O	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Magic Wand MR16 W	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Artima MR16 O	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Artima MR16 W	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Artima XP MR16 O	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Artima XP MR16 W	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Maxima MR16 O	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	Maxima MR16 W	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	MiniMax MR16 O	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	MiniMax MR16 W	Track Light			Thermally Compatible	Not Compatible	
Edison Price Lighting	TWO MR DL	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	TWO MR AA	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	THREE MR DL	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	THREE MR AA	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	THREE MR WL	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	Darklite MR/4	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	Anglux MR/4	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	Darklite WL MR/4	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	Showerite MR/4	Recessed / Downlight			Thermally Compatible	Not Compatible	
Edison Price Lighting	Showerite Anglux MR/4	Recessed / Downlight			Thermally Compatible	Not Compatible	
Elco Lighting	EL2699LDICA	Downlight	20W, 12V Magnetic Transformer		PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL2699LDICEA	Downlight	Lightech/GE	LET-6DLW	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL2699LDRICA	Downlight	20W, 12V Magnetic Transformer		PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL2699LDRICEA	Downlight	Lightech/GE	LET-6DLW	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL1499LDICA	Downlight	20W, 12V Magnetic Transformer		PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL1499LDICEA	Downlight	Lightech/GE	LET-6DLW	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL1499LDRICA	Downlight	20W, 12V Magnetic Transformer		PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	EL1499LDRICEA	Downlight	Lightech/GE	LET-6DLW	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Elco Lighting	ETLDS26	Track Light	Lightech/GE	LET-6DLW	PASS	PASS	
Elco Lighting	ETLDS28	Track Light	Lightech/GE	LET-6DLW	PASS	PASS	
Elco Lighting	ETLDS30	Track Light	Lightech/GE	LET-6DLW	PASS	PASS	
Elco Lighting	ETLDS32	Track Light	Lightech/GE	LET-6DLW	PASS	PASS	
Elco Lighting	ETLDS34	Track Light	Lightech/GE	LET-6DLW	PASS	PASS	
Element (Tech Lighting)	3" Halogen/CMH Adjustable Downlight, compatible with round and square trims, with NON-IC/Chicago plenum or IC housings	Recessed / Downlight			Thermally Compatible	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-15M-LED	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-15M-LED-230	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-15M-LED-277	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-30M-LED	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-30M-LED-230	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-30M-LED-277	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-60M-LED	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-60M-LED-230	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Hatch	RS12-60M-LED-277	PASS	Not Compatible	
Elite Lighting	BL4-E	Recessed / Downlight	Lightech	LET-7S	PASS	Not Compatible	
Elite Lighting	BL4	Recessed / Downlight	Hatch	RS12-15M-LED	PASS	Not Compatible	
Elite Lighting	BL5	Recessed / Downlight	Hatch	RS12-15M-LED-230	PASS	Not Compatible	
Elite Lighting	BL6	Recessed / Downlight	Hatch	RS12-15M-LED-277	PASS	Not Compatible	
Elite Lighting	BL7	Recessed / Downlight	Hatch	RS12-30M-LED	PASS	Not Compatible	
Elite Lighting	BL8	Recessed / Downlight	Hatch	RS12-30M-LED-230	PASS	Not Compatible	
Elite Lighting	BL9	Recessed / Downlight	Hatch	RS12-30M-LED-277	PASS	Not Compatible	
Elite Lighting	BL10	Recessed / Downlight	Hatch	RS12-60M-LED	PASS	Not Compatible	
Elite Lighting	BL11	Recessed / Downlight	Hatch	RS12-60M-LED-230	PASS	Not Compatible	
Elite Lighting	BL12	Recessed / Downlight	Hatch	RS12-60M-LED-277	PASS	Not Compatible	

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com.

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
Elite Lighting	BL13	Recessed / Downlight	Lightech	LET-75	PASS	Not Compatible	
Elite Lighting	BL3	Recessed / Downlight	Hatch	RS12-15M-LED	PASS	Not Compatible	
Elite Lighting	BL4	Recessed / Downlight	Hatch	RS12-15M-LED-230	PASS	Not Compatible	
Elite Lighting	BL5	Recessed / Downlight	Hatch	RS12-15M-LED-277	PASS	Not Compatible	
Elite Lighting	BL6	Recessed / Downlight	Hatch	RS12-30M-LED	PASS	Not Compatible	
Elite Lighting	BL7	Recessed / Downlight	Hatch	RS12-30M-LED-230	PASS	Not Compatible	
Elite Lighting	BL8	Recessed / Downlight	Hatch	RS12-30M-LED-277	PASS	Not Compatible	
Elite Lighting	BL9	Recessed / Downlight	Hatch	RS12-60M-LED	PASS	Not Compatible	
Elite Lighting	BL10	Recessed / Downlight	Hatch	RS12-60M-LED-230	PASS	Not Compatible	
Elite Lighting	BL11	Recessed / Downlight	Hatch	RS12-60M-LED-277	PASS	Not Compatible	
Elite Lighting	BL12	Recessed / Downlight	Lightech	LET-75	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-15M-LED	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-15M-LED-230	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-15M-LED-277	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-30M-LED	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-30M-LED-230	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-30M-LED-277	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-60M-LED	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-60M-LED-230	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Hatch	RS12-60M-LED-277	PASS	Not Compatible	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Lightech	LET-75	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP31	Recessed / Downlight	Hatch	RS12-15M-LED	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP32	Recessed / Downlight	Hatch	RS12-15M-LED-230	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP33	Recessed / Downlight	Hatch	RS12-15M-LED-277	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP34	Recessed / Downlight	Hatch	RS12-30M-LED	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP35	Recessed / Downlight	Hatch	RS12-30M-LED-230	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP36	Recessed / Downlight	Hatch	RS12-30M-LED-277	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP37	Recessed / Downlight	Hatch	RS12-60M-LED	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP38	Recessed / Downlight	Hatch	RS12-60M-LED-230	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP39	Recessed / Downlight	Hatch	RS12-60M-LED-277	PASS	Not Compatible	
Elite Lighting	ES3-F-LV-KC-SOW-MR16-E-120-BP40	Recessed / Downlight	Lightech	LET-75	PASS	Not Compatible	
Elite Lighting	B1462	Trim	Hatch	RS12-15M-LED	Under evaluation	Not Compatible	
Elite Lighting	B1463	Trim	Hatch	RS12-15M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	B1464	Trim	Hatch	RS12-15M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	B1465	Trim	Hatch	RS12-30M-LED	Under evaluation	Not Compatible	
Elite Lighting	B1466	Trim	Hatch	RS12-30M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	B1467	Trim	Hatch	RS12-30M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	B1468	Trim	Hatch	RS12-60M-LED	Under evaluation	Not Compatible	
Elite Lighting	B1469	Trim	Hatch	RS12-60M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	B1470	Trim	Hatch	RS12-60M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	B1471	Trim	Lightech	LET-75	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-15M-LED	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-15M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-15M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-30M-LED	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-30M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-30M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-60M-LED	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-60M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-60M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	EF5-1302-W-WH-8P-ES3-MR16-FR	Trim	Lightech	LET-75	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-15M-LED	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-15M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-15M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-30M-LED	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-30M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-30M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-60M-LED	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-60M-LED-230	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Hatch	RS12-60M-LED-277	Under evaluation	Not Compatible	
Elite Lighting	ETS-1302-W-WH-8P-ES3-MR16-FR	Trim	Lightech	LET-75	Under evaluation	Not Compatible	
Feng Shui Lighting	FSLRH4-LED-ICA	Recessed / Downlight			Thermally Compatible	Not Compatible	
Feng Shui Lighting	FSLRH4-LED-RM	Recessed / Downlight			Thermally Compatible	Not Compatible	
Focal Point	FL4-PELED-E1-SO-T-CP; Trim L2-PELED-SO-DNF-B5-BK	Recessed / Downlight			Thermally Compatible	Not Compatible	
Focal Point	FAVB-SR-1TSHO-2C-120-S-G1-CP-2FM-SBL-BK-X	Recessed / Downlight			Thermally Compatible	Not Compatible	
Hevi Lite	HL-360-AA	In-Grade / Outdoor / Fully-Sealed	Sebco	Up to the customer	PASS (Only Flood, 100 under evaluation)	Not Compatible	
HK Lighting Group	ZXL16i	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-CM	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-WM	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-WM	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXG16i	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-WM2	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-WM2	In-Grade / Outdoor / Fully-Sealed	Hatch	RS12-60m-LED (120-230-277)	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16	In-Grade / Outdoor / Fully-Sealed	Sebco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX17	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-SQ	In-Grade / Outdoor / Fully-Sealed	Sebco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
HK Lighting Group	ZX16-SQ	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16/SOPL	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16/SOPL	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-T	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-T	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-TA	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-TA	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-CM	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-CM	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-CM	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-CM	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-WM	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-WM	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-WM	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-WM	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-IP	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-IP	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXG16	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXG16	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-WM2	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-WM2	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-WM2	In-Grade / Outdoor / Fully-Sealed	Sdbco	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-WM2	In-Grade / Outdoor / Fully-Sealed	Magnitude	Up to the customer	PASS	PASS (see comment)	Compatible when used with HK Thermobuster heatsink
John Cullen	Polestar	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Polestar-360	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Flush	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Aquabeam	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Waterlily	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Square	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Square Trimless	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Square Double Trimless	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Minos 35	Monopoint	RELCO	Hole 70 PFS	Thermally Compatible	Not Compatible	
John Cullen	Skinny	In-Grade / Outdoor / Fully-Sealed			Thermally Compatible (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Metal Square	Wall Light	MODE	MOE-075-D-240	PASS	Not Compatible	
John Cullen	Plaster Square	Wall Light			Thermally Compatible	Not Compatible	
John Cullen	Plaster Cube	Wall Light			Thermally Compatible	Not Compatible	
John Cullen	Demilumen	Track Light	ALV	ALV 150/1	Thermally Compatible	Compatible with fixture, transformer not tested yet	
John Cullen	Micro-50	Low Voltage Track	ALV	ALV 150/1	Thermally Compatible	Not Compatible	
John Cullen	Square Highlight	In-Grade / Outdoor / Fully-Sealed	MODE	MOE-075-D-240	Thermally Compatible (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Adjustable Spiked Spot	In-Grade / Outdoor / Fully-Sealed			Thermally Compatible (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Bollard	In-Grade / Outdoor / Fully-Sealed			Thermally Compatible (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Pillar Light	Wall Light	Hunza	HET75	Thermally Compatible	Not Compatible	
John Cullen	Wall Downlight	Wall Light	Hunza	HET75	Thermally Compatible	Not Compatible	
John Cullen	Wall Spotlight	Wall Light	Hunza	HET75	Thermally Compatible	Not Compatible	
John Cullen	Mesh Wall Light	Wall Light	Hunza	HET75	Thermally Compatible	Not Compatible	
John Cullen	Spinaker	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Nevis	In-Grade / Outdoor / Fully-Sealed			Thermally Compatible (Only Flood, 100 under evaluation)	Not Compatible	
John Cullen	Torino Uplight	In-Grade / Outdoor / Fully-Sealed	VARIUGHT	YT50LZ	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Juno	TL196	Low Voltage Track	Juno	TL601E	Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Juno	TL196	Low Voltage Track	Juno	MAG4FMR	PASS	PASS (see comment)	Approved with no front glass cover
Lighting Services Inc.	CX16	Track Light	Hatch	RS12-60M-LED	PASS	Not Compatible	
Lighting Services Inc.	Z60	Track Light	Hatch	RS12-60M-LED	PASS	Not Compatible	
Lighting Services Inc.		216 Track Light	Hatch	RS12-60M-LED	PASS	Not Compatible	
Lighting Services Inc.	LN16	Track Light	Hatch	RS12-60M-LED	PASS	Not Compatible	
Lighting Services Inc.	GR16	Track Light	Hatch	RS12-60M-LED	PASS	Not Compatible	
Lucifer Lighting	DH-IC-ZF-HAL-50-120E / DL21Z	Recessed / Downlight	Lightech	LT75R	PASS	Not Compatible	
Lucifer Lighting	DH-IC-ZF-HAL-50-120T / DL12P	Recessed / Downlight			Thermally Compatible	Not Compatible	
Lucifer Lighting	DH-IC-ZF-HAL-50-120T / DL21Z	Recessed / Downlight			Thermally Compatible	Not Compatible	
Lucifer Lighting	DH-NIC-ZF-HAL-50-120E / DL12P	Recessed / Downlight			Thermally Compatible	Not Compatible	
Lucifer Lighting	DH-NIC-ZF-HAL-50-120E / DL21Z	Recessed / Downlight			Thermally Compatible	Not Compatible	
MP Lighting	X01	Rail/Cable	Technomagnet	TMC150S	PASS	PASS	
MP Lighting	X01	Rail/Cable	Technomagnet	TMC300S	PASS	PASS	
MP Lighting	X06	Rail/Cable	Technomagnet	TMC150S	PASS	PASS	
MP Lighting	X06	Rail/Cable	Technomagnet	TMC300S	PASS	PASS	
MP Lighting	X21	Rail/Cable	Technomagnet	TMC150S	PASS	Not Compatible	
MP Lighting	X21	Rail/Cable	Technomagnet	TMC300S	PASS	Not Compatible	
MP Lighting	X23	Rail/Cable	Technomagnet	TMC150S	PASS	Not Compatible	
MP Lighting	X23	Rail/Cable	Technomagnet	TMC300S	PASS	Not Compatible	
MP Lighting	X31	Rail/Cable	Technomagnet	TMC150S	PASS	PASS	

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com.

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
MP Lighting	X31	Rail/Cable	Technomagnet	TMC300S	PASS	PASS	
MP Lighting	X42	Rail/Cable	Technomagnet	TMC150S	PASS	PASS	
MP Lighting	X42	Rail/Cable	Technomagnet	TMC300S	PASS	PASS	
MP Lighting	X43	Rail/Cable	Technomagnet	TMC150S	PASS	PASS (see comment)	Approved with no front glass cover
MP Lighting	X43	Rail/Cable	Technomagnet	TMC300S	PASS	PASS (see comment)	
MP Lighting	X45	Rail/Cable	Technomagnet	TMC150S	PASS	Not Compatible	
MP Lighting	X45	Rail/Cable	Technomagnet	TMC300S	PASS	Not Compatible	
MP Lighting	X51	Rail/Cable	Technomagnet	TMC150S	PASS	Not Compatible	
MP Lighting	X51	Rail/Cable	Technomagnet	TMC300S	PASS	Not Compatible	
MP Lighting	X61	Low Voltage Track	Fulham Pony	PET-120-12-75 (1 lamp)	Thermally Compatible	Compatible with fixture, transformer not tested yet	
MP Lighting	X61	Low Voltage Track	Hatch	V512-150 Multiple Lamps	Thermally Compatible	Compatible with fixture, transformer not tested yet	
MP Lighting	X62	Low Voltage Track	Fulham Pony	PET-120-12-75 (1 lamp)	Thermally Compatible	Compatible with fixture, transformer not tested yet	
MP Lighting	X62	Low Voltage Track	Hatch	V512-150 Multiple Lamps	Thermally Compatible	Compatible with fixture, transformer not tested yet	
Nora Lighting	NL-301AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NLR-304AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NLC-301AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NL-401AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NLR-404AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NLC-401AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NLR-403S/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NL-402S/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NLC-402AT/1EL	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Thermally Compatible	Not Compatible	
Nora Lighting	NL-680	Recessed / Downlight	Lightech/GE	GELT12012LWBF	Compatible with fixture (see comments), transformer not tested yet	Compatible with fixture, transformer not tested yet	Not compatible with SNAP accessories.
Number Eight Lighting	Housings 404 & 404-R, Type IC	Recessed / Downlight	GE / Lightech	LET60 / LET60-BF	PASS	Not compatible	Approved with or without lens in trim plate. Spot approved with up to 2x Snap Lenses.
Number Eight Lighting	Housings 801, 802 & 803 (type IC) with lamp modules A, B & H.	Recessed / Downlight	Q-TRAN	QT-50-75CX-PT	PASS	Not compatible	Lamp module A approved with or without lens in trim plate. Spot approved with up to 2x Snap Lenses.
Number Eight Lighting	Housings 801, 802 & 803 (type IC) with lamp modules A, B & H.	Recessed / Downlight	GE / Lightech	LET60 / LET60-BF	PASS	Not compatible	Lamp module A approved with or without lens in trim plate. Spot approved with up to 2x Snap Lenses.
Number Eight Lighting	Housing 804 (type IC) with lamp modules A, B & H.	Recessed / Downlight	Q-TRAN	QT-50-75CX-PT	PASS	Not compatible	Lamp module A approved with or without lens in trim plate. Spot approved with up to 2x Snap Lenses.
Number Eight Lighting	Housing 804 (type IC) with lamp modules A, B & H.	Recessed / Downlight	GE / Lightech	LET60 / LET60-BF	PASS	Not compatible	Lamp module A approved with or without lens in trim plate. Spot approved with up to 2x Snap Lenses.
Precision Lighting	Demilumen	Low Voltage Track			Thermally Compatible	Compatible with fixture, unknown transformer	
Precision Lighting	Rotor	Low Voltage Track			Thermally Compatible	Compatible with fixture, unknown transformer	
Precision Lighting	Retro 16	Low Voltage Track			Under evaluation	Not Compatible	
Precision Lighting	Evo X16 Short Snoot	Low Voltage Track			Thermally Compatible	Not Compatible	
Precision Lighting	Evo X16 Glare Guard	Low Voltage Track			Thermally Compatible	Not Compatible	
Precision Lighting	Evo X16 Long Snoot	Low Voltage Track			Thermally Compatible	Not Compatible	
Precision Lighting	Evo S16 Short Snoot	Low Voltage Track			Under evaluation	Not Compatible	
Precision Lighting	Evo S16 Glare Guard	Low Voltage Track			Thermally Compatible	Not Compatible	
Precision Lighting	Evo S16 Long Snoot	Low Voltage Track			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora Dual MR16 Round Edge 3.3	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora Dual MR16 Square Edge 3.3	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Round Beveled 2.0	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Round Edge 1.3	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Round Edge 2.0	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Round Edge 3.3	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Round Edge 3.3 RGB	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Square Beveled 2.0	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Square Edge 1.3	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Square Edge 2.0	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Square Edge 3.3	Recessed / Downlight			Thermally Compatible	Not Compatible	
Pure Lighting	Aurora MR16 Accent Square Edge 3.3 RGB	Recessed / Downlight			Thermally Compatible	Not Compatible	
Stone Lighting	DA200 Bare Action Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DB200 Bare Snap Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Metal Shield
Stone Lighting	DF200 Bare Snap Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	10D lamp Snap accessory cannot be used
Stone Lighting	DM200 Bare Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Glass Shield
Stone Lighting	DA201 Duomo Action Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DB201 Duomo Snap Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DM201 Duomo MX	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DA202 Vitrea Action Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Metal Shield
Stone Lighting	DB202 Vitrea Snap Swivel		ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DM202 Vitrea MX Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Metal Shield, recessed
Stone Lighting	DA203 Murano Action Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Metal Shield
Stone Lighting	DF203 Murano Focus Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Glass Shield
Stone Lighting	DM203 Murano Amber MX Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	Glass Shield

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com.

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
Stone Lighting	DB204 Form Snap Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DA205 Simple Action Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DF205 Simple Focus Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DM205 Simple MX Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DA206 Iris Action Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DB206 Iris Snap Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DM206 Iris MX Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DF217 Krypto Focus Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DS217 Krypto Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DF218 Rocker Focus Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DS218 Rocker Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DE441 Moko Swivel	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	100 lamp Snap accessory cannot be used
Stone Lighting	CB900 Vail Pivot Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	DB900 Vail Pivot Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	CB901 Whistler Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	CB902 Snowmass Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	CB903 Aspen Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	CB905 Alta Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Stone Lighting	CB906 S Bella Head	Rail/Cable	ELV or MLV for remote installations/ recommendation provided		PASS	PASS	unshielded
Tech Lighting	Adler Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Aero Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Cam Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Elton Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	John Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	K-Bye-Bye Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	K-Hello Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	K-Jane Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	K-Johnny Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	K-Pivot Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	K-Telescope Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Mo-Pivot Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Sportster Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Spot Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Sprocket Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Sullivan Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Swivel Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Tele Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	T156 Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Tellium Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Tilt Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Wali Archie Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Wali Georgi Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Wali Telescope Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Wally Lite Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Mini Om	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Rojo Head	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Bell Shade	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Belladonna Shade	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility. For this, please see transformer/dimmer compatibility lists on www.soraa.com.

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
Tech Lighting	Tinkerbell Shade	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Tinkerbell Shade With integrated Lens Holder	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Tinkerbell (Satin Nickel)	Low Voltage Track	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Backlight Shield	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Flight Paper	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	LiI Wok Shade	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tech Lighting	Soy Accessory	Track Light	Leaves up to the customer to choose any one of their transforme		Thermally Compatible	Compatible with fixture (see comment), transformer not tested yet	Approved with no front glass cover
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-500T-120/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-500T-277/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-1000T-120/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-1000T-277/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-1500T-120/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-1500T-277/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-3000T-120/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q65-3000T-277/12-1x25-CK-5	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q6M-6000T-120/12-2x25-CK-L	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	QTran	Q6M-6000T-277/12-2x25-CK-L	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-100W-120V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-100W-277V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-150W-120V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-300W-120V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-300W-277V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-600W-120V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	SEBCO	M-600W-277V	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	Hatch	RS12-60	Not Compatible	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	Hatch	RS12-150	Thermally Compatible (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	Hatch	RS12-150-277	Not Compatible	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	Hatch	RS12-300	PASS (Only Flood, 100 under evaluation)	Not Compatible	
Tegan Lighting	EVO-LGS	Low Voltage Track	Hatch	RS12-300-277	Not Compatible	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-500T-120/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-500T-277/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-1000T-120/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-1000T-277/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-1500T-120/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-1500T-277/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-3000T-120/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q65-3000T-277/12-1x25-CK-5	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q6M-6000T-120/12-2x25-CK-L	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	QTran	Q6M-6000T-277/12-2x25-CK-L	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-100W-120V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-100W-277V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-150W-120V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-300W-120V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-300W-277V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-600W-120V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	SEBCO	M-600W-277V	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	Hatch	RS12-60	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	Hatch	RS12-150	Thermally Compatible	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	Hatch	RS12-150-277	Not Compatible	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	Hatch	RS12-300	PASS	Not Compatible	
Tegan Lighting	EVO-AGS	Low Voltage Track	Hatch	RS12-300-277	Not Compatible	Not Compatible	
Times Square Lighting	LED1020 - Soraa LED MR16	Track Light	Lightech	LT75R	PASS	Not Compatible	
Times Square Lighting	LED10P - Soraa LED Projector	Track Light	Lightech	LT75R	Under evaluation	Not Compatible	
Twice Bright	CL1220	Recessed / Downlight	Twice Bright	WTN20-1	Thermally Compatible	Not Compatible	
Twice Bright	CL1220TL	Recessed / Downlight	Twice Bright	WTN20-1	Thermally Compatible	Not Compatible	
Twice Bright	CL1220TLF	Recessed / Downlight	Twice Bright	WTN20-1	Thermally Compatible	Not Compatible	
Twice Bright	CL1220TI	Recessed / Downlight	Twice Bright	WTN20-1	Thermally Compatible	Not Compatible	
Twice Bright	CL1220TIF	Recessed / Downlight	Twice Bright	WTN20-1	Thermally Compatible	Not Compatible	
Twice Bright	CL1220TITL	Recessed / Downlight	Twice Bright	WTN20-1	Thermally Compatible	Not Compatible	
WAC Lighting	EGD 194 / QF-194LED	Track Light			Not Compatible	Not Compatible	Not mechanically compatible.
WAC Lighting	HR-301E	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-301M	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-302E	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-302M	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-8401E	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-8402E	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-8401H	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-8402H	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-8402HL	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	HR-8403H	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	MT-116/MT116TL	Recessed / Downlight			Thermally Compatible	Not Compatible	
WAC Lighting	MT-216/MT216TL	Recessed / Downlight			Thermally Compatible	Not Compatible	

/ MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL, PHYSICAL and ELECTRICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to dimming compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Soraa recommends to confirm with the fixture manufacturer the transformer's brand and model inside the fixture during planning.

Fixture Manufacturer	Fixture Model	Fixture Type	TRANSFORMER info		Overall PASS/FAIL		Comment
			Transformer Brand	Transformer Model #	Soraa 7.5W	Soraa 9W	
WAC Lighting	MT-316/MT316TL	Recessed / Downlight			Thermally Compatible	Not Compatible	
Weaver & Ducre	Deep	Recessed / Downlight			Thermally Compatible	Not Compatible	